Version		Revision Date:	Date of last issue: 01.06.2022
1.1AUS	DE / EN	20.09.2023	Date of first issue: 01.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Trade name	:	Carsystem Spraygun Cleaner
	Product code	:	CS158627
1.2	Relevant identified uses of the	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Cleaning agent
1.3	Details of the supplier of the	sa	fety data sheet
	Company	:	Vosschemie GmbH Esinger Steinweg 50 25436 Uetersen Germany info@vosschemie.de
	Telephone Telefax	-	04122 717 0 04122 717158
	Responsible Department	:	Laboratory
			04122 717 0 sds@vosschemie.de
1.4	Emergency telephone		
	Telephone	:	Giftinformationszentrum (GIZ)-Nord, Göttingen, Deutschland 0551 19240

IMPORTED BY:

Sydney Automotive Paints & Equipment PTY LTD Unit A3, 366 Edgar St. Condell Park NSW 2200 AUSTRALIA, Tel. +02 9772 9000 , +02 9772 9001 ·

Emergency telephone number: If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131 126, New Zealand 0800 764 766

according to Regulation (EC) No. 1907/2006

Carsystem Spraygun Cleaner

Version		Revision Date:	Date of last issue: 01.06.2022	
1.1AUS	DE / EN	20.09.2023	Date of first issue: 01.06.2022	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.					
Eye irritation, Category 2	H319: Causes serious eye irritation.					
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.					

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)					
Hazard pictograms	:				
Signal Word	:	Danger			
Hazard Statements	:	 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. 			
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.			
Precautionary Statements	:	P101 If medical advice is needed, have product container or label at hand.P102 Keep out of reach of children.			
		Prevention:			
		 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe spray. 			
		Storage: P410 + P412 Protect from sunlight. Do not expose to tem- peratures exceeding 50 °C/ 122 °F.			
		Disposal: P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.			

Version		Revision Date:	Date of last issue: 01.06.2022
1.1AUS	DE / EN	20.09.2023	Date of first issue: 01.06.2022

Hazardous ingredients which must be listed on the label:

acetone

Additional Labeling

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

aerosol Mixture

:

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system) EUH066	>= 50 - < 75

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	: First aider needs to protect himself.
	Remove from exposure, lie down.
	If unconscious, place in recovery position and seek medical
	advice.
	Take off contaminated clothing and shoes immediately.

Version 1.1AUS	DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022	
		Symptoms	of poisoning may appear several hours later.	
lf inha	led	: Move to free If symptoms	sh air. s persist, call a physician.	
In case of skin contact			Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.	
In cas	e of eye contact	diately with 15 minutes.	ye contact, remove contact lens and rinse imme- plenty of water, also under the eyelids, for at least on persists, consult a specialist.	
If swallowed		sure.	is not regarded as a possible method for expo- s persist, call a physician.	
4.2 Most ir	nportant symptoms a	nd effects, both	acute and delayed	
Risks		May cause	ious eye irritation. drowsiness or dizziness. xposure may cause skin dryness or cracking.	

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Carbon dioxide (CO2) Dry powder Water spray jet Alcohol-resistant foam
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	ı the	substance or mixture
Specific hazards during fire fighting	:	Vapors may form explosive mixtures with air. Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.
Hazardous combustion prod- ucts	:	Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear suitable respiratory protection equipment.

Carsystem Spraygun Cleaner

Version 1.1AUS	DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022
Furthe	er information	cumstances and Fire residues and be disposed of ir Use water spray	g measures that are appropriate to local cir- the surrounding environment. d contaminated fire extinguishing water must accordance with local regulations. to cool unopened containers. e and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ensure adequate ventilation. Avoid inhalation of vapor or mist. Avoid contact with skin, eyes and clothing.	J.
--	----

6.2 Environmental precautions

Environmental precautions	:	Should not be released into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Ventilate the area. Keep in suitable, closed containers for disposal.
		Reep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Local/Total ventilation	:	Ensure adequate ventilation.
Advice on safe handling	:	Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50°C / 122 °F. Also after use, do not open with force or burn. Provide sufficient air exchange and/or exhaust in work rooms.
Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition. Keep away from direct sunlight.
Hygiene measures	:	Do not inhale aerosol.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Please observe the storage instructions for aerosols! Keep
areas and containers		containers tightly closed in a cool, well-ventilated place. Sol-

Version 1.1AUS	DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022
		•	rre heavier than air and may spread along floors. om direct sunlight. Keep away from heat and nition.
	ther information on stor- conditions	: Storage must	be in accordance with the BetrSichV (Germany).
Adv	vice on common storage	: Keep away fr	om food and drink.
Sto	rage class (TRGS 510)	: 2B	
•	c ific end use(s) ecific use(s)	: No data availa	able

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis	
		of exposure)			
acetone	67-64-1	TWA	500 ppm	2000/39/EC	
doctorie	07 04 1	10070	1.210 mg/m3	2000/00/20	
	E (1) (1.210 mg/m3		
	Further inform	nation: Indicative			
		AGW	500 ppm	DE TRGS	
			1.200 mg/m3	900	
	Peak-limit cat	egory: 2;(I)	5		
	Further inform	nation. When there is	compliance with the OEL ar	nd biological	
			of harming the unborn child	la biological	
propane	74-98-6	AGW	1.000 ppm	DE TRGS	
			1.800 mg/m3	900	
	Peak-limit category: 4;(II)				
butane (containing	106-97-8	AGW	1.000 ppm	DE TRGS	
< 0,1 % butadiene			2.400 mg/m3	900	
(203-450-8))			2.100 mg/me	000	
(203-430-0))	Deal Participant A(0)				
	Peak-limit category: 4;(II)				
isobutane (< 0,1%	75-28-5	AGW	1.000 ppm	DETRGS	
1,3-butadiene			2.400 mg/m3	900	
(203-450-8))			· · · · · · · · · · · · · · · · · · ·		
	Doold limit actor on u 4/II)				
	Peak-limit category: 4;(II)				

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
acetone	67-64-1	Acetone: 80 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	

Carsystem Spraygun Cleaner

Version 1.1AUS	DE / EN	Revision 20.09.20		te: Date of last issue: 01.06.2022 Date of first issue: 01.06.2022		
aceto	ne	Workers	Inhalation	Long-term systemic effects	1210 mg/m3	
		Workers	Inhalation	Long-term local ef- fects	2420 mg/m3	
		Workers	Skin contact	Long-term systemic effects	186 mg/kg bw/day	
		Consumers	Inhalation	Long-term systemic effects	200 mg/m3	
		Consumers	Skin contact, Oral	Long-term systemic effects	62 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
acetone	Fresh water	10,6 mg/l
	Sea water	1,06 mg/l
	Sewage treatment plant (STP)	100 mg/l
	Fresh water sediment	30,4 mg/kg dry weight (d.w.)
	Sea sediment	3,04 mg/kg dry weight (d.w.)
	Soil	29,5 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipme Eye/face protection	ent :	Tightly fitting safety goggles Safety glasses with side-shields conforming to EN166
Hand protection Material Break through time Glove thickness Directive Protective index	:	butyl-rubber > 480 min >= 0,4 mm DIN EN 374 Class 6
Remarks	:	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Preventive skin protection
Skin and body protection	:	Please wear suitable protective clothing, e.g. made of cotton or heat-resistant synthetic fibres. Long sleeved clothing
Respiratory protection	:	No personal respiratory protective equipment normally re- quired. In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Version 1.1AUS D	DE / EN		vision Date: .09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022
Filter t	уре	:	Filter type A-P	
Protective	emeasures	 Use only with adequate ventilation. When using do not eat, drink or smoke. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. 		ot eat, drink or smoke. In skin, eyes and clothing.
			Follow the skin protection plan. When using do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safet practice.	
Environn	nental exposure co	ntro	ls	
Soil		:	Avoid subsoil pen	etration.
Water		:	Do not flush into s	surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Color	:	clear
Odor	:	characteristic
Melting point/freezing point	:	not determined
Initial boiling point and boiling range	:	Not applicable
Upper explosion limit / Upper flammability limit	:	13 %(V)
Lower explosion limit / Lower flammability limit	:	1,5 %(V)
Flash point	:	Not applicable
Autoignition temperature	:	365 °C
рН	:	not determined substance/mixture is non-soluble (in water)
Viscosity Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Solubility(ies) Water solubility	:	immiscible
Partition coefficient: n-	:	not determined

Version 1.1AUS	DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022		
octa	nol/water				
Vapo	or pressure	: 8.300 hPa (2	0 °C)		
Dens	sity	: 0,69 g/cm3 (20 °C)			
9.2 Other	r information				
Expl	osives	: Not explosive In use, may fe	e orm flammable/explosive vapor-air mixture.		
Self-	ignition	: not auto-flam	mable		

SECTION 10: Stability and reactivity

10.1 Reactivity No decomposition if used as di	irected.				
10.2 Chemical stability					
No decomposition if stored and	d applied as directed.				
10.3 Possibility of hazardous read	ctions				
Hazardous reactions	: Vapors may form explosive mixture with air.				
10.4 Conditions to avoid Conditions to avoid	: Keep away from heat and sources of ignition. Strong sunlight for prolonged periods.				
10.5 Incompatible materials					
Materials to avoid	: No data available				
10.6 Hazardous decomposition products Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.					

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

acetone:

Acute oral toxicity	:	LD50 Oral (Rat): 5.800 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): ca. 76 mg/l Exposure time: 4 h Test atmosphere: vapor

Carsystem Spraygun Cleaner

ersion .1AUS	DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022
Acute	e dermal toxicity	: LD50 Dermal (Rabbit): > 7.400 mg/kg
Skin	corrosion/irritation		
Repe	ated exposure may	cause skin dryness or cr	acking.
	es serious eye irritat		
Resp	iratory or skin sens	sitization	
Not c	sensitization lassified based on av		
•	iratory sensitization lassified based on av		
	n cell mutagenicity lassified based on av	vailable information.	
	nogenicity lassified based on av	vailable information.	
-	oductive toxicity lassified based on av	vailable information.	
	F-single exposure cause drowsiness or	dizziness.	
	F-repeated exposur lassified based on av		
-	ration toxicity lassified based on av	vailable information.	
1.2 Infor	mation on other ha	zards	
Endo	crine disrupting pr	operties	
Produ	uct:		
-	ssment	ered to have e REACH Article	/mixture does not contain components consid ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 a or higher.

12.1 Toxicity

Components:

acetone:

Toxicity to fish

Carsystem Spraygun Cleaner

Mar	lan		De	vision Doto:	Data of local isource 01.00.2022		
Vers 1.1A		DE / EN	-	vision Date: .09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022		
				Exposure time: 96	3 h		
		to daphnia and other invertebrates	:	EC50 (Daphnia pu End point: mortali Exposure time: 48			
	Toxicity plants	to algae/aquatic	:	NOEC (algae): 430 mg/l Exposure time: 96 h			
	Toxicity to microorganisms			EC10 (Bacteria): 1.000 mg/l Exposure time: 0,5 h Method: OECD Test Guideline 209			
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)			NOEC: 2.212 mg/l Exposure time: 28 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211			
12.2	Persist	ence and degradabili	ty				
	<u>Compo</u>	nents:					
	aceton	e:					
	Biodegr	adability	:	Result: Readily bio Biodegradation: 9 Exposure time: 28 Method: OECD Te	90,9 [°] %		
12.3	Bioacc	umulative potential					
	<u>Compo</u>	nents:					
	aceton	e:					
	Bioaccu	umulation	:	Bioconcentration f Remarks: Calcula	factor (BCF): 3 tion		
	Partition octanol/	n coefficient: n- /water	:	log Pow: -0,24 (20) °C)		

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Ρ	r	0	d	u	С	t	

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Carsystem Spraygun Cleaner

Version		Revision Date:	Date of last issue: 01.06.2022
1.1AUS	DE / EN	20.09.2023	Date of first issue: 01.06.2022

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : No data available mation

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

butane (containing < 0,1 % butadiene (203-450-8)):

20-year global warming potential: 0,022 100-year global warming potential: 0,006 500-year global warming potential: 0,002 Atmospheric lifetime: 0,019 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Dispose of in conjunction with appropriate waste disposal authorities and in accordance with disposal regulations.
Contaminated packaging	:	Dispose of in accordance with local regulations.
Waste Code	:	The following Waste Codes are only suggestions: 08 01 11, waste paint and varnish containing organic solvents or other hazardous substances 150104, metallic packaging

according to Regulation (EC) No. 1907/2006

Carsystem Spraygun Cleaner

Version 1.1AUS	DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022			
15 01 10, packaging containing residues of or contaminated by hazardous substances						
SECTION	14: Transport info	rmation				
14.1 UN ու	Imber or ID number					
ADG		: UN 1950				
ADN		: UN 1950				
ADR		: UN 1950				
RID		: UN 1950				
IMDG		: UN 1950				
ΙΑΤΑ		: UN 1950				
14.2 UN pr	oper shipping name					
ADG		: AEROSOLS				
ADN		: AEROSOLS				
ADR		: AEROSOLS	AEROSOLS			
RID		: AEROSOLS	AEROSOLS			
IMDG		: AEROSOLS	AEROSOLS			
ΙΑΤΑ		: Aerosols, fla	Aerosols, flammable			
14.3 Trans	port hazard class(es)				
		Class	Subsidiary risks			
ADG		: 2	2.1			
ADN		: 2	2.1			
ADR		: 2	2.1			
RID		: 2	2.1			
IMDG		: 2.1				
ΙΑΤΑ		: 2.1				
14.4 Packi	ng group					
ADG Packir	ng group	: Not assigned	d by regulation			
ADN Packir Classi Labels	ng group fication Code	: Not assigned : 5F : 2.1	d by regulation			
ADR Packir Classi	ng group fication Code	: Not assigned : 5F	: Not assigned by regulation			

Versi	ion		Re	vision Date:	Date of last issue: 01.06.2022
1.1Al		DE / EN		.09.2023	Date of first issue: 01.06.2022
	Labels		:	2.1	
·	Tunnel	restriction code	:	(D)	
,	Hazard Labels IMDG Packing	cation Code Identification Number	::	Not assigned by r 5F 23 2.1 Not assigned by r	
	Labels EmS Co	ode	:	2.1 F-D, S-U	
	IATA (C Packing aircraft)	Cargo) g instruction (cargo g instruction (LQ)	:	203 Y203 Not assigned by r Flammable Gas	egulation
	Packing ger airc	g instruction (LQ)	: : :	203 Y203 Not assigned by r Flammable Gas	egulation
14.5	Enviro	nmental hazards			
	ADG Environ	mentally hazardous	:	no	
	ADN Environ	mentally hazardous	:	no	
	ADR Environ	mentally hazardous	:	no	
	RID Environ	mentally hazardous	:	no	
	IMDG Marine	pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Carsystem Spraygun Cleaner

Version 1.1AUS	DE / EN	Revision Date: 20.09.2023		last issue: 01.06.2022 first issue: 01.06.2022
the m		he manufacture, placing ain dangerous substanc ex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
REAC	CH - Candidate List of	Substances of Very Hig	jh :	Not applicable
Conce	ern for Authorization (Article 59).		
	lation (EC) No 1005/2 the ozone layer	2009 on substances that	de- :	Not applicable
	lation (EU) 2019/102 [.] (recast)	1 on persistent organic p	ollu- :	Not applicable
	CH - List of substance ex XIV)	es subject to authorisation	n :	Not applicable
	ation (EU) 2019/114 precursors	3 on the marketing and ι	ise of expl	0-
cious	transactions, and sig	y Regulation (EU) 2019/ Inificant disappearances elevant national contact	and thefts	
pean contro	so III: Directive 2012/ Parliament and of the ol of major-accident h erous substances.	e Council on the	'3a FLA	AMMABLE AEROSOLS
Water ny)	r hazard class (Germa			ngering AwSV, Annex 1 (5.2)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

This Product is considered compliant to AIIC (Australian Inventory of Industrial Chemicals).

SECTION 16: Other information

Full text of H-Statements

Version 1.1AUS	DE / EN	Revisio 20.09.2	on Date: 2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022		
H225 H319				liquid and vapor.		
H336		: Ma	Causes serious eye irritation. May cause drowsiness or dizziness.			
EUH066		: Rej	Repeated exposure may cause skin dryness or cracking.			
Full text of other abbreviations						
Eyel	rrit.	: Eye	e irritation			
Flam. Liq.		: Fla	Flammable liquids			
STOT SE		: Spe	Specific target organ toxicity - single exposure			
2000/39/EC			Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values			
DE T	RGS 900			900 - Occupational exposure limit values.		
TRG	S 903	: c-	Biological limit	values		
2000	/39/EC / TWA	: Lim	nit Value - eigh	t hours		
DE T	RGS 900 / AGW	: Tim	ne Weighted A	verage		

ADG - Australian Dangerous Goods; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP -Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency: EC-Number - European Community number: ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS -Existing and New Chemical Substances (Japan): ErCx - Concentration as- sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub- stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re- striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substances; TSCA

- Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture):	Classification procedure:
Aerosol 1	H222, H229	Calculation method

Version 1.1AUS DE / EN	Revision Date: 20.09.2023	Date of last issue: 01.06.2022 Date of first issue: 01.06.2022	
Eye Irrit. 2	H319	Calculation method	
STOT SE 3	H336	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN