



Auto Refinishing Products

Page 1/10

Printing date: 05.02.2024

Revision date: 05.02.2024

Version no. 1

**Safety Data Sheet**  
according to WHS Regulations

Hazardous according to criteria of Australian Safety and Compensation Council.

## 1 Identification

### **Product identifier**

Trade name: **802 BLEND + PREP PASTE**

Article number: 11352

Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC9a Coatings and paints, thinners, paint removers

Process category PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

Environmental release category ERC2 Formulation into mixture

Article category AC1 Vehicles

Application of the substance / the mixture

Knife filler/ Surfacer

Surface protection

### **Details of the supplier of the safety data sheet**

Manufacturer/Supplier:

HB BODY S.A.

B' ENTRANCE BLOCK 50 DA9 & MB6 Str

THESSALONIKI INDUSTRIAL AREA

57.022, SINDOS

THESSALONIKI, GREECE

Ph: +30 2310 790 000

Fax: +30 2310 790 033

www.hbbody.com

email: hbbody@hbbody.com

Further information obtainable from:

Sydney Automotive Paints & Equipment PTY LTD

Unit A3, 366 Edgar St. Condell Park NSW 2200

AUSTRALIA, Tel. +02 9772 9000 , +02 9772 9001

Emergency telephone number:

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131 126, New Zeland 0800 764 766.

AU  
Continue on page 2

## Trade name: 802 BLEND + PREP PASTE

### 2 Hazard(s) Identification

#### Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

#### Label elements

- GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labelling:  
5-chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone ( $\geq 0.0015$ - $< 0.0025$  %)
- Hazard statements  
H317 May cause an allergic skin reaction.
- Precautionary statements  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P321 Specific treatment (see on this label).  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

### 3 Composition and Information on Ingredients

#### Chemical characterisation: Mixtures

Description: Mixture of hazardous substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 55965-84-9	5-chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-	$\geq 0.0015$ - $< 0.0025$ %
Index number: 613-167-00-5	isothiazolone	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	Skin Corr. 1B, H314	
	Skin Sens. 1, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation:  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.

Continue on page 3  
AU

## Trade name: **802 BLEND + PREP PASTE**

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

### \* 5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**  
Firefighters should always protective equipment and breathing apparatus when handling fire coming from these products
- **Speial protective equipment and fire fighting procedures:** No special measures required.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### \* 7 Handling and Storage

- **Handling:**
  - Precautions for safe handling  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
  - Information about fire - and explosion protection: No special measures required.
- **Storage:**
  - Requirements to be met by storerooms and receptacles: No special requirements.
  - Information about storage in one common storage facility: Not required.
  - Further information about storage conditions: None.
- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

## Trade name: **802 BLEND + PREP PASTE**

- Additional information: The lists valid during the making were used as basis.
- **Personal protective equipment:**
- General protective and hygienic measures:  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.
- Respiratory protection:  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton)
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:  
Rubber gloves
- Eye protection: Goggles recommended during refilling
- Body protection: Protective work clothing

## 9 Physical and Chemical Properties

### · General Information

- Appearance:
- Form: Fluid
- Colour: According to product specification
- Odour: Characteristic
- Odour threshold: Not determined.
- **pH-value at 20 °C:** 7-8
- **Change in condition**
- Melting point/freezing point: Undetermined.
- Initial boiling point and boiling range: 100 °C
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Autoignition temperature:** N/A
- Decomposition temperature: 110 °C
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.  
Risk of explosion by shock, friction, fire or other sources of ignition.

Continue on page 5

AU

## Trade name: **802 BLEND + PREP PASTE**

<b>Explosion limits:</b>	
· Lower:	Not determined.
· Upper:	Not determined.
· <b>Vapour pressure at 20 °C:</b>	23 hPa
· <b>Density at 20 °C:</b>	0.997 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
<b>Solubility in / Miscibility with</b>	
· water:	Not miscible or difficult to mix.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
<b>Viscosity:</b>	
· Dynamic:	Not determined.
· Kinematic at 20 °C:	0 mm <sup>2</sup> /s
<b>Solvent content:</b>	
· Organic solvents:	0.0 %
· Water:	41.0 %
· VOC (EC)	0.4 g/l
· Solids content (volume):	56.5 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \* 11 Toxicological Information

- **Information on toxicological effects**
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

---

**55965-84-9 5-chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone**

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	0.5 mg/l (ATE)
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.

## Trade name: **802 BLEND + PREP PASTE**

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### \* 12 Ecological Information

#### · **Toxicity**

##### · Aquatic toxicity:

This product is not toxic for the aquatic life. Nevertheless do not dispose the product or any cleaning solvents used along with this product into the sea

##### · **Persistence and degradability**

This product contains polyesteric molecules and organic solvents and is not known to be bioaccumulative. It can be considered as biodegradable in small quantities. In case of disposal, it should be treated as a hazardous material and should be disposed accordingly. Do not just throw it away

##### · **Behaviour in environmental systems:**

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

##### · **Additional ecological information:**

##### · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

##### · **Results of PBT and vPvB assessment**

· PBT: This product contains no substance that is considered to be persistent, bioaccumulating or non toxic (PBT).

· vPvB: This mixture contains no substance that is considered to be very persistent or very bioaccumulating (vPvB).

· **Other adverse effects** No further relevant information available.

### \* 13 Disposal considerations

#### · **Waste treatment methods**

##### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

##### · **Uncleaned packaging:**

· Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

#### · **UN-Number**

· ADG, ADN, IMDG, IATA Void

#### · **UN proper shipping name**

· ADG, ADN, IMDG, IATA Void

#### · **Transport hazard class(es)**

· ADG, ADN, IMDG, IATA

· Class Void

#### · **Packing group**

· ADG, IMDG, IATA Void

#### · **Environmental hazards:**

· Marine pollutant: No

**Trade name: 802 BLEND + PREP PASTE**

- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **UN "Model Regulation":** Void

\* **15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- None of the ingredients is listed.
- **Australian Inventory of Industrial Chemicals**

---

60676-86-0 Silica, fused  
7732-18-5 water, distilled, conductivity or of similar purity  
68441-63-4 walocel mt 10000 pv  
7647-14-5 sodium chloride  
20344-49-4 iron hydroxide oxide  
57-55-6 Propylene glycol  
3586-55-8 (Ethylendioxy)dimethanol  
14807-96-6 Talc (Mg3H2(SiO3)4)  
64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic  
50-00-0 formaldehyde
  - **Standard for the Uniform Scheduling of Medicines and Poisons**

---

50-00-0 formaldehyde: S2, S6, S10
  - **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
  - **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
5-chloro-2-methyl-3(2H)-isothiazolone, mixt. with 2-methyl-3(2H)-isothiazolone (≥0.0015-<0.0025 %)
- **Hazard statements**  
H317 May cause an allergic skin reaction.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P321 Specific treatment (see on this label).  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Additional classification according to Decree on Hazardous Materials, Annex II:**  
Carcinogenic hazardous material group III (dangerous).

Continue on page 8  
AU

**Trade name: 802 BLEND + PREP PASTE**

- **Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

**16 Other information**

This information is based on our current knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H301 Toxic if swallowed.
  - H311 Toxic in contact with skin.
  - H314 Causes severe skin burns and eye damage.
  - H317 May cause an allergic skin reaction.
  - H331 Toxic if inhaled.
- **Department issuing SDS:** Department of Quality Control
- **Contact:**
  - HB BODY S.A
  - Ms Olympia Stamkou
  - Ph: +30 2310 790 032
  - fax: +30 2310 790 033
  - email: [stamkou@hbbody.com](mailto:stamkou@hbbody.com)
- \* Data compared to the previous version altered.

AU  
Continue on page 9



**Trade name: 802 BLEND + PREP PASTE****Annex: Exposure scenario****Short title of the exposure scenario**

- Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC9a Coatings and paints, thinners, paint removers
- Process category PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- Article category AC1 Vehicles
- Environmental release category ERC2 Formulation into mixture

**Description of the activities / processes covered in the Exposure Scenario**

See section 1 of the annex to the Safety Data Sheet.

- **Conditions of use** According to directions for use.

- Duration and frequency Frequency of use:

**Physical parameters**

The data on the physical - chemical properties in the Exposure Scenario is based on the properties of the preparation.

- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- Used amount per time or activity Smaller than 100 g per application.

**Other operational conditions**

- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure  
Avoid contact with the skin.  
Avoid long-term or repeated skin contact.  
Take precautionary measures against static discharge.  
Keep away from sources of ignition - No smoking.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.

**Risk management measures**

- Worker protection
- Organisational protective measures  
Ensure good ventilation. This can be achieved by using a local exhaustion or general exhaust system. If these measures are insufficient to keep the solvent vapour concentration below the workplace limit, wear an adequate respiratory protective device.
- Technical protective measures  
No special measures required.  
Ensure that suitable extractors are available on processing machines  
Provide explosion-proof electrical equipment.
- Personal protective measures  
No special measures required.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the skin.  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Measures for consumer protection  
Observe consumer information and advice on safe use.  
Ensure adequate labelling.
- Environmental protection measures
- Air No special measures required.

Continue on page 10

AU

**Trade name: 802 BLEND + PREP PASTE**· **Water**

Do not allow to reach sewage system. Dispose of this product and its container at hazardous or special waste collection point.

· **Soil** The product is only processed over the concrete collecting basin.· **Disposal measures** Ensure that waste is collected and contained.· **Disposal procedures**

Dispose of product residues with household waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Waste type** Partially emptied and uncleaned packaging· **Exposure estimation**· **Consumer**

This product is to be used by professional technicians only.

Not relevant for this Exposure Scenario.

· **Guidance for downstream users**

Whether the downstream user acts within the scope of the Exposure Scenario can be verified based on the information in sections 1 to 8.